PATENT APPLICATION DOCKET NO.: 0100.2061-004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Paul E. Amundsen, Maureen Buonpane, and Doug Andrews

lication No.:

10/608,770

Group: 3744

Filed:

June 27, 2003

Examiner: Doerrler, William Charles

Confirmation No.:

8144

For:

Integration of Automated Cryopump Safety Purge With Set Point

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on:

Jan 12,2005

Date

Signature

Typed or printed name of person signing certificate

PETITION FOR EXTENSION OF TIME

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Applicant hereby petitions the Commissioner for Patents to extend the time for filing a reply to the Office Action dated July 12, 2004 for three months from October 12, 2004 to January 12, 2005 under 37 C.F.R. § 1.136(a).

	Other than
Small Entity	Small Entity
\$ 60	\$ 120
\$ 225	\$ 450
\$ 510	<u>X</u> \$1,020
\$ 795	\$1,590
\$1,080	\$2,160
	\$ 60 \$ 225 \$ 510 \$ 795

A check is enclosed in the amount of the extension fee indicated above, or the extension fee has been included in [X] the check with the accompanying Reply.

Please charge Deposit Account No. 08-0380 in the amount of \$[[]

I to cover the cost of the extension fee.

Any deficiency or overpayment should be charged or credited to Deposit Account No. 08-0380. A copy of this letter is enclosed for accounting purposes.

Respectfully submitted,

04h --- 4h ---

01/19/2005 WASFAW1 00000016 10608770

01 FC:1253

1020.00 DP

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

James/M. Smith

Registration No. 28,043

Telephone (978) 341-0036

Facsimile (978) 341-0136

Concord, Massachusetts 01742-9133